व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक)
COMMERCIAL TEST REPORT (ICT)



संख्या/No.: Machine 39/399

माह / Month: March 2021

THIS TEST REPORT IS VALID UPTO 31.03.2026





ALAP POWER WEEDER MODEL: APW-105DEA



भारत सरकार GOVT OF INDIA

कृषि एवं किसान कल्याण मंत्रालय MINISTRY OF AGRICULTURE & FARMERS WELFARE

कृषि, सहकारिता एवं किसान कल्याण विभाग

DEPARTMENT OF AGRICULTURE, COOPERATION & FARMERS WELFARE

उत्तर पूर्व क्षेत्र कृषि यंत्र परीक्षण एवं प्रशिक्षण संस्थान NORTH EASTERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE

बिश्वनाथ चरियालीः बिश्वनाथः असम, पिन-784 176

BISWANATH CHARIALI: BISWANATH: ASSAM, PIN - 784 176
[AN ISO 9001:2015 CERTIFIED INSTITUTION]

Website: http://nerfmtti.nic.in

Ph. No. 03715-222094

Fax No: 03715-230358

E-Mail: fmti-ner@nic.in



ALAP POWER WEEDER Model: APW-105DEA

COMMERCIAL (ICT)

1. SCOPE OF TEST

	The scope of test was limited to check and assess the following:
1.1	Specification and other data furnished by the applicant.
1.2	Engine performance test
1.3	Amplitude of mechanical vibration
1.4	Noise measurement
1.5	Air cleaner oil pull over test
1.6	Hardness & chemical composition
1.7	Field performance
1.8	Wear analysis of rotor blades
1.9	Ease of operation and adjustments
1.10	Defects, breakdowns and repairs

2. METHOD OF SELECTION

As per Govt. of India, OM No. 13-13/2020-M&T (I&P), dated 10.09.2020, the random selection was exempted by Govt. of India. Hence, The machine was directly submitted for test by the applicant at this Institute.

3. TEST CODE/TEST PROCEDURE

There is no Indian standard/test code available for testing of self propelled power weeder as such. The guidelines, however, have been taken from the following:

IS 9935 : 2002

: Power Tiller - Test code

(Reaffirmed 2012) IS 12036:1995

Agricultural tractors-test procedures-Power tests for

(Reaffirmed 2004) IS 9980 : 1999

power take-off
Guidelines for field performance and haulage tests

(Reaffirmed 2004) IS 1976 : 1976

of power tillers
Specification for Rotary paddy weeder, manually

(Reaffirmed 2009) IS 6690 : 1981 (Reaffirmed 2012)

operated
Specification for Blades for Rotavator for Power

Tillers

4. SPECIFICATIONS

4.1 General:

Make

ALAP

Model

APW-105DEA

Name and address of manufacturer

M/s. Chongqing Shineray Agricultural Machinery Co., Ltd., No. 8 Shineray Road, Hangu Town,

Gaoxin District, Chongqing, China.

Name and address of applicant

M/s Almighty Agrotech Pvt. Ltd., G-1934/35,

Lodhika G.I.D.C., Almighty Gate, Kalawad Road,

Metoda, Rajkot, Gujarat- 360021

Machine 39/399

ALAP POWER WEEDER Model: APW-105DEA

COMMERCIAL (ICT)

Name of machine

Type of machine

Working size of machine, (mm)

Year of manufacture

Serial no. of machine

Power weeder

Self propelled, Walk behind

1180 2020

DEA 20J 1001



Details of prime mover: 4.2

Manufacturer

M/s. Chongqing Shineray Agricultural Machinery Co., Ltd., No. 8 Shineray Road, Hangu Town, Gaoxin

District, Chongqing, China.

Make

M/s. Chongqing Shineray Agricultural Machinery Co., Ltd., No. 8 Shineray Road, Hangu Town, Gaoxin

District, Chongging, China.

Model

APW-170F Type

Single cylinder, four stroke, air cooled, Inclined,

Spark ignition engine.

Year of manufacture

Engine serial No.

2009200591

2020

3600

1800

Recommended high idle speed, rpm

Recommended low idle speed, rpm:

(apa) Recommended rated speed, rpm:

(apa) Recommended rated speed for field

operation, rpm (apa)

Max./Rated power observed, kW

 3450 ± 50

 3450 ± 50

3.95 @ 3429 rpm

Country of origin

China




Fig.1 ALAP Power Weeder, APW-105DEA

- 1. Tyre
- 2. Reverse gear engaging/ disengaging lever
- 3. Rotary cover
- 4. Depth adjustment bar
- 5. Gear Shift lever

- 9. Handle bar
- 10. Throttle lever
- 11. Throttle cable
- 12. Silencer
- 13. Air cleaner

FARM MACHINERY TRAINING & TESTING INSTITUTE (NER), B. CHARIALI, ASSAM [AN ISO 9001:2015 CERTIFIED INSTITUTION] (THIS TEST REPORT IS VALID UP TO 31.03.2026]

Page 5 of 25

ALAP POWER WEEDER Model: APW-105DEA

COMMERCIAL (ICT)

11.2 Chemical composition of rotor blades:

The material of rotary blade was got analyzed from Geological and Metallurgical Laborate Bangalore for chemical composition. The results of chemical analysis test results are as under:

,	As per IS (Reaffirm	6690:1981 ned 2012)	Composition as observed (% of weight)	Remarks
Constituents	Carbon Steel (%)	Silico Manganese Steel (%)		
Carbon (C)	0.70 -0.85	0.50-0.60	0.51	Conforms
	0.70 -0.03	0,00 012	2.00	Does not Conform
Silicon (Si)	0.10 -0.40	1.50-2.00	0.66	
Manganese (Mn)	0.50 -1.0	0.50-1.00	0.87	Conforms
Sulphur (S)	0.05 (max)	0.05 (max)	0.008	Conforms
Phosphorous (P)	0.05 (max)	0.05 (max)	0.012	Conforms

12. FIELD PERFORMANCE TEST

The field tests were conducted for 25.37 hours of field operation for testing the said Power Weeder. The field tests were conducted at rated rpm of 3450. The detailed test results are represented in the Annexure and summarized in the ensuing table:

SI.No.	Parameters		Observations
1	Type of soil	:	Light
2	Soil moisture (%)	:	13 to 14.50
3	Bulk density of soil (g/cc)	:	1.50 to 1.57
4	Speed of operation (kmph)	:	0.93 to 1.23
5	Depth of cut (cm)	:	6.92 to 7.24
6	Width of cut (m)	:	1.18
7	Area covered (ha/h)	:	0.09 to 0.127
8	Time required for one ha (h)	7.87 to 11.11	
9	Field efficiency (%)	81.07 to 89.72	
10	Weeding efficiency (%) : 79.90 to 82.9		
11	Fuel consumption		
-	- 1/h	:	0.719 to 0.773
	- I/ha		5.99 to 8.47

12.1 Rate of work

- Av. rate of work was recorded as 0.09 to 0.127 ha/h and the speed of operation vary from 0.93 to 1.23 kmph.
- Av. time required to cover one hectare was recorded as 7.87 to 11.11 hours.

12.2 Quality of work

- Av. depth of cut was recorded as 6.92 to 7.24 cm.
- Av. working width was observed as 1.18 m.
- Av. field efficiency was found as 81.07 to 89.72%.
- Av. weeding efficiency was found as 79.90 to 82.99 %.

Machine 39/399

ALAP POWER WEEDER Model: APW-105DEA

COMMERCIAL (ICT)

Valve, guides and timing

Observation

gears:

Any marked sign of overheating

of valves

None

Pitting of seat/faces of valves

None

Any visual damage to the teeth of

timing gears

None

Clearance between valve guide and valve stem (mm)

- Intake valve

0.07

- Exhaust valve

0.04

15.2 Clutch:

Any marked wear in clutch

No

friction plate

Condition of clutch release

Normal

bearing.

Condition of pilot bearing

Normal

Condition of pressure plate

Normal

15.3 Transmission gears:

All the Gears of the transmission system were found in normal condition.

15.4 Rotary drive unit:

The rotary drive unit was dismantled and all the components were found in normal condition.

16. COMMENTS & RECOMMENDATIONS

- 16.1 Specific fuel consumption of engine corresponding to rated power as observed during test was 307.4 g/kWh against the declared value of 280g/kWh. This should be looked into for corrective action.
- Power at rated engine speed has been observed as 3.95 kW as against declaration of 3.5 kW. This may be looked into for corrective action.
- 16.3 Actual maximum torque could not be searched as the applicant had declared 11 Nm as maximum torque. Hence, further loading was not done and loading was restricted to 11 Nm as maximum torque. Therefore back-up torque also could not be identified.
- The amplitude of mechanical vibration marked as (*) is on drastically higher side and is directly concerned with operator's health, safety and comfort. Besides, it is also adversely affect the useful life of the machine components. In view of the above, it should be looked into for corrective action.
- Noise at operator's ear level was observed as 96.8 dB (A) which is on higher side against danger limit of 90 dB (A) as specified by ILO for continuous exposure of 8 hours per day. This calls for reduction in noise level to improve the operator's comfort & safety.



ALAP POWER WEEDER Model: APW-105DEA

COMMERCIAL (ICT)

- Maximum percentage of oil pull over (mass basis) was observed as 23.20 % against the Maximum percentage of oil pull over (mass basis) was observed in the specified limit of 0.25 % as per IS 13539:2008. It is on higher side. It should be looked into for specified limit of 0.25 % as per IS 13539:2008. 16.6 corrective action.
- The hardness of rotary blades does not conform to the requirement of IS 6690:1981 16.7 (Reaffirmed 2012).
- The chemical composition of rotary blade with respect to silicon does not conform to the 16.8 requirement of IS 6690:1981 (Reaffirmed 2012).
- Machine maneuverability while taking turns during field operation was not easy. It shall be 16.9 looked into to improve ease of operation for the operator.

16.10

Operator's manual, service manual and parts catalogue of the machine was supplied with the test sample for reference during the test. It is however, recommended that same may be revised and brought out in Hindi & other regional languages as per IS 8132:1999 (Reaffirmed 2004) for the sake of user & technical personnel.

TESTING AUTHORITY

(M.R. PATIL) AGRICULTURAL ENGINEER

(J.P. MANDAL) SENIOR AGRICULTURAL ENGINEER

Spendel.

17. APPLICANT'S COMMENTS

Para No.	Our Reference	Applicant's Comments
16		With immediate Effects, we will inform to our Production Department to take care the Corrective Actions before dispatching material from the factory to sales unit.