

व्यावसायिक परीक्षण रिपोर्ट बैच  
COMMERCIAL TEST REPORT (Batch)



संख्या / No.: Machine 47/411  
माह / Month: December, 2021

THIS TEST REPORT VALID UPTO 31/12/2026



**KISANKRAFT, Model: KK-BC-8634  
[BRUSH CUTTER]**



सत्यमेव जयते  
भारत सरकार  
GOVT OF INDIA

कृषि एवं किसान कल्याण मन्त्रालय

MINISTRY OF AGRICULTURE & FARMERS WELFARE

कृषि, सहकारिता एवं किसान कल्याण विभाग

DEPARTMENT OF AGRICULTURE, COOPERATION & FARMERS WELFARE

उत्तर पूर्वी क्षेत्र कृषि यंत्र प्रशिक्षण एवं परीक्षण संस्थान

NORTH EASTERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE

विश्वनाथ चारिआलि, जिला-विश्वनाथ(असम)

BISWANATH CHARIALI: BISWANATH: ASSAM, PIN - 784 176

[AN ISO 9001:2015 CERTIFIED INSTITUTION]

Ph. No. 03715-222094

Website: <http://nerfmtti.nic.in>

Fax No: 03715-230358

E-Mail: [fmti-ner@nic.in](mailto:fmti-ner@nic.in)

### 1. SCOPE OF TEST

The scope of test was limited to check and assess the following:

#### 1.1 Laboratory test

- a) Checking of specification & other data furnished by the applicants
- b) Mechanical vibration measurement
- c) Noise measurement
- d) Engine performance test
- e) Wear analysis of critical components
- f) Hardness & Chemical analysis of Blade/critical components

#### 1.2 Field test

- a) Rate of work
- b) Quality of work
- c) Labour requirement
- d) Adequacy of power of prime mover
- e) Ease of operation, adjustment & safety provisions
- f) Defects, breakdowns and repairs

### 2. METHOD OF SELECTION

As per Govt. of India, OM No. 13-13/2020-M&T (I&P), dated 27<sup>th</sup> July 2021 the random selection was exempted. Hence, the machine was directly submitted by the applicant at this Institute for test.

### 3. TEST PROCEDURE

There is no Indian Standard Test Code available for testing of Brush cutter as such. The guidelines, however, have been taken from the following:

- i) IS: 7347:1974 (Reaffirmed 2006) : Specification for Performance of Small Size Spark Ignition Engines.
- ii) IS: 6025 – 1982 : Specification for knife sections for harvesting machines

### 4. SPECIFICATIONS

#### 4.1 General:

	Previous Sample	Present Sample
Name of Machine	: Power weeder/Brush cutter	Brush Cutter
Type of Machine	: Power weeder/Brush cutter	Engine operated
Manufacturer	: M/s Shandong Huasheng Pesticides Machinery CO. Ltd.,1 Zhongtian Road, High and New Tech Industrial Dev Zone, Linyi, Shandong, China	M/s Shandong Huasheng Pesticides Machinery CO. Ltd.,1 Zhongtian Road, High and New Tech Industrial Dev Zone, Linyi, Shandong, China



MACHINE 47/411

KISANKRAFT BRUSH CUTTER, Model :- KK-BC-8634  
COMMERCIAL (Batch)

Make	: KisanKraft	KisanKraft
Model	: KK-BC-8634	KK-BC-8634
Country of origin	: China	China
Frame Serial no.	: Not Provided	Not Provided
Year of manufacture	: Not Specified	2020
Name & Address of Applicant	: M/s KisanKraft Machine Tools Pvt. Ltd., 32/5C, Dasarahalli Village, Dasarahalli Main Road, H.A. Farm Post, Hebbal, Bangalore-560024	M/S KisanKraft limited, (Formerly known as KisanKraft Tolls (P) Ltd, Sri Huchhanna Tower #4, 1st Main, 7-A Cross, Muruthi Layout, Dasarahalli, HAF Post, Hebbal, Bangaluru, Karnataka, India-560024
Type of weeds/brush recommended	: To cut weeds	All types of weeds




FIG. 1: Schematic view of KisanKraft Brush Cutter (KK-BC-8634)

KEY WORDS:

- |                                     |                              |
|-------------------------------------|------------------------------|
| 1. Blade                            | 2. Grass deflector           |
| 3. Frame-pipe                       | 4. Throttle cum clutch lever |
| 5. Engine stopping switch           | 6. RHS handle                |
| 7. Hook for attaching shoulder belt | 8. Engine                    |
| 9. Fuel tank                        | 10. LHS handle               |
| 11. Gear case                       |                              |



**11. FIELD PERFORMANCE TEST**

Field tests were conducted for 25.41 hours duration, grass cutting with nylon rope and brush cutting using 3 T blade attachments were carried out for 10.0 hours, and 15.41 hours respectively. A total of Five test trials were conducted. Rated engine speed was observed as 7800 rpm. Detailed results of field tests are shown in ANNEXURE-I & II; and summarized in the ensuing table.

**SUMMARY OF FIELD PERFORMANCE TEST**

Sl. No.	Parameters	Level	
		Grass cutting	Brush cutting
1	Field Condition		
2	Thickness of Grasses/Brush	1.58 to 1.76	6.98 to 12.15
3	Average number of weeds in 1m <sup>2</sup> Grass/Brush	1720 to 2163	56.0 to 116.0
4	Average height of Grasses/Brush (mm)	368.5 to 412	1457 to 1957
5	Mass of Grass/Brush (kg/h)	346.56 to 512.6	281.59 to 1459.5
6	Mass of Grass/Brush (kg/ha)	8664 to 12200	7110 to 36574
7	Rate of work (ha/h)	0.040 to 0.042	0.0376 to 0.0399
8	Time required for one hectare (h)	23.8 to 25.0	25.06 to 26.59
9	Fuel consumption		
	-l/h	0.332 to 0.348	0.318 to 0.340
	-l/ha	8.28 to 8.30	8.37 to 8.58

**11.1 Grass cutting using nylon rope****11.1.1 Rate of work**

- The rate of work was recorded as 0.040 to 0.042 ha/h,
- The time required to cover one hectare was recorded as 23.8 to 25.0 h.
- Mass of grass cut was recorded as 346.56 to 512.6 kg/h.

**11.1.2 Fuel consumption**

- Fuel consumption was observed as 0.332 to 0.348 l/h and 8.28 to 8.30 l/ha.

**11.2 Brush cutting using 3-T blade****11.2.1 Rate of work**

- The rate of work was recorded as 0.0376 to 0.0399 ha/h,
- The time required to cover one hectare was recorded as 25.06 to 26.59h.
- Mass of weed cut was observed as 281.59 to 1459.5 kg/h

**11.2.2 Fuel consumption**

- Fuel consumption was observed as 0.318 to 0.340 l/h and 8.37 to 8.58 l/ha.

**11.3 Labour requirement**

One skilled operator can operate the machine continuously for about half an hour only. Hence, two skilled operators are required to operate the machine continuously.

**11.4 Adequacy of power of prime mover**

The power of prime mover was found adequate.

**14.5 Main bearings:**

Bearing No.	Type of bearing	Diametrical clearance, mm	Crankshaft end float, mm	Max. permissible clearance limit, mm	
				Diametrical clearance	Crankshaft end float
1	Ball bearing	NA	0.09	Not Specified	--
2	Ball bearing	NA			

**14.6 Big end bearing:**

Bearing No.	Clearance, mm		Max. permissible clearance limit, mm	
	Diametrical	Axial	Diametrical	Axial
1	Needle bearing	--	Not Specified	----

Measurement of big end bearing clearance was not possible as the piston along with connecting rod was not detachable.

**14.7 Valve guide clearance:**

Valve guide diameter (mm)		Valve stem diameter (mm)		Valve guide clearance (mm)		Max. Permissible wear limit (mm)	
Inlet	Exhaust	Inlet	Exhaust	Inlet	Exhaust	Inlet	Exhaust
4.04	4.03	3.92	3.88	0.12	0.15	Not Specified	Not Specified

**14.8 Transmission system:**

All the gears of the transmission system were found in normal condition.

**15. COMMENTS & RECOMMENDATIONS**

**15.1** The average rated power in rating test of engine was observed as 0.42 kW against manufacturers declared power as 0.8 kW. This should be looked into metter.

**Governing test**

Momentary speed change in percentage of rated speed was observed as 12.54%. This should be looked into metter.

Permenent speed change in percentage of rated speed was observed as 11.46%. This should be looked into metter.

**15.2** The specific fuel consumption at average rated power in rating test was observed as 945.7g/kWh. against 680 g/kWh. this should be looked into metter.

**15.3** Noise at operator's ear level was observed on higher side against warning limit of 85 dB (A) as specified by ILO for continuous exposure of 8 hours per day. **This calls for reduction in noise level to improve the operator's comfort & safety**

**15.4** The amplitude of mechanical vibration marked as (\*) is on drastically higher side and is directly concerned with operator's health, safety and comfort. Besides, it is also adversely affect the useful life of the component in view of above this deserves to be given top priority for corrective action.

**15.5** It was observed that the fuel tank capacity of this machine is low. This should be looked into metter



Machine 47/411	KISANKRAFT BRUSH CUTTER, Model :- KK-BC-8634 COMMERCIAL (Batch)
----------------	--

- 15.6 During field testing, No Goggles and ear plugs were provided as protective devices. All the necessary protective accessories, arm cover, gloves, leg protector, face shield, helmet, etc was not provided. All these should necessarily be provided for the safety of operator.
- 15.7 The Hardness & chemical composition of 3T blade does not conform to relevant Indian Standard. This should be looked into.
- 15.8 The fuel on/off knob may be provided in machine.
- 15.9 No labeling plate is riveted/bolted on the machine. This may be looked into for necessary corrective action.
- 15.10 **Technical Literature:**  
Operator cum Service Manual & Parts Catalogue was provided along with the machine during the course of testing. It is further recommended to bring out these manuals in hindi and other vernacular languages as per IS: 8132-1999.

**TESTING AUTHORITY**



*(Handwritten signature of M.R. Patil)*

(M.R.PATIL)  
AGRICULTURAL ENGINEER

*(Handwritten signature of S.G. Pawar)*

(S.G.PAWAR)  
AGRICULTURAL ENGINEER

*(Handwritten signature of J.P. Mandal)*

(J.P. MANDAL)  
SENIOR AGRICULTURAL ENGINEER

*(Handwritten signature of K.K. Nagle)*

(K.K. NAGLE)  
DIRECTOR

Draft test report compiled by - Shri. Khagendra Bora,  
Sr. Technical Assistant

**16. APPLICANT'S COMMENTS**

Para No.	Our reference no.	Applicants Comments
16.1	15.1 to 15.9	We will check this again and will take the corrective action against the same.